

**Navajo Tribal Utility Authority
2023 PWSID Table
Monthly Routine Bacteriological Sampling & Fluoride Sampling**

PWSID No.	Fort Defiance District	Service Connections	Estimated Population	Bacteriological Required	Fluoride Required
09-3500302	Rock Springs	466	1789	2	1
NN0400280	Houck	300	1152	2	1
NN0400813	Pine Springs	64	246	1	1
NN0403000	Navajo/Fort Defiance/Window Rock/Hunter's Point	3828	14700	15	3
NN0403015	Oak Springs	114	438	1	1
NN0403025	Sawmill	244	937	1	1
NN0403102	Newlands	565	2170	2	1
NN3500237	Tohatchi/Mexican Springs East	491	1885	2	1
NN3500261	Twin Lakes	543	2085	2	1
NN3500264	Buffalo Springs	112	430	1	1
NN3500267	Mexican Springs West	76	292	1	1
NN3500268	Naschitti	339	1302	2	1
NN3500274	Coyote Canyon	186	714	1	1
NN3500277	Defiance	492	1889	2	1
NN3500278	Tsayatoh	259	995	1	1
NN3503012	Crystal	207	795	1	1

PWSID No.	Shiprock District	Service Connections	Estimated Population	Bacteriological Required	Fluoride Required
NN0403027	Cove	213	818	1	1
NN0403058	Red Valley	221	849	1	1
NN3500245	Farmington/Shiprock	4490	17242	19	3
NN3500296	Nageezi	223	856	1	1
NN3503016	Newcomb	176	676	1	1
NN3503028	Toadlena	264	1014	2	1
NN3503031	Narbona Pass/Sheep Springs	257	987	1	1
NN3503045	Dzilthnaodilthle	134	515	1	1
NN3503054	Keyah I	39	150	1	1
NN3503057	Mittenrock	100	384	1	1
NN3503059	Sanostee/Tocito	583	2239	2	1
NN3503063	Carson	334	1283	2	1

PWSID No.	Chinle District	Service Connections	Estimated Population	Bacteriological Required	Fluoride Required
NN0400174	Chinle	2484	9539	10	3
NN0400253	Kitsillie	120	461	1	1
NN0400321	Kinichee	242	929	1	1
NN0400396	Rough Rock	141	541	1	1
NN0400397	Nazlini	253	972	1	1
NN0400812	Wheatfields	96	369	1	1
NN0403001	Ganado - Ganado/Wood Springs/Burnside/Steamboat	839	3222	3	2
NN0403004	Pinon	1570	6029	7	3
NN0403005	Tsaile	351	1348	2	1
NN0403021	Cottonwood	391	1501	2	1
NN0403023	Round Rock	265	1018	2	1
NN0403047	Lukachukai	468	1797	2	1
NN0403048	Rock Point	296	1137	2	1

PWSID No.	Tuba City District	Service Connections	Estimated Population	Bacteriological Required	Fluoride Required
NN0400206	Tuba City	1860	7142	8	3
NN0400207	Coalmine Mesa	117	449	1	1
NN0400208	Rare Metals	22	84	1	1
NN0400209	White Mesa	154	591	1	1
NN0403009	Gap	344	1321	2	1
NN0403010	Cameron	222	852	1	1
NN0400348	Kaibeto	431	1655	2	1
NN0400379	Red Lake	350	1344	2	1
NN0400814	Coppermine	101	388	1	1
NN0403006	LeChee	324	1244	2	1
NN0403811	Hard Rock	306	1175	2	1

PWSID No.	Crownpoint Sub-Office	Service Connections	Estimated Population	Bacteriological Required	Fluoride Required
09-3503042	Torreon	577	2216	2	1
NN3500211	Mariano Lake/Pinedale/Church Rock	1371	5265	6	3
NN3500239	Whitehorse Lake	85	326	1	1
NN3500254	Haystack	109	419	1	1
NN3500256	Smith Lake/Casamero Lake	282	1083	2	1
NN3500258	Iyanbito	232	891	1	1
NN3500269	White Rock/Lake Valley	146	561	1	1
NN3500292	Bread Springs	611	2346	2	1
NN3500303	Thoreau	474	1820	2	1
NN3500335	Red Rock	501	1924	2	1
NN3503029	Standing Rock	217	833	1	1
NN3503039	Crownpoint/Littlewater	1190	4570	5	3
NN3503041	Ojo Encino North	348	1336	2	1
NN3503060	Casamero Cup	14	54	1	1
NN3510002	Boardman Loop	14	54	1	1

PWSID No.	Kayenta District	Service Connections	Estimated Population	Bacteriological Required	Fluoride Required
NN0400182	Forest Lake	70	269	1	1
NN0400283	Inscription House	417	1601	2	1
NN0400286	White Post Mission	57	219	1	1
NN0400290	Chilchinbeto	373	1432	2	1
NN0400296	Dennehotso	293	1125	2	1
NN0400322	Shonto	122	468	1	1
NN0400326	Shonto Junction	348	1336	2	1
NN0400824	Baby Rocks	13	50	1	1
NN0400825	Long House Valley	43	165	1	1
NN0403003	Kayenta	1129	4335	5	3
NN4900224	Oljato	368	1413	2	1
NN4903032	Mexican Hat	72	276	1	1
NN4903073	Cane Valley	15	58	1	1

PWSID No.	Red Mesa District	Service Connections	Estimated Population	Bacteriological Required	Fluoride Required
NN0400399	Sweetwater	600	2304	2	1
NN0403055	Teec Nos Pos	222	852	1	1
NN4900220	Aneth	437	1678	2	1
NN4903017	Red Mesa	298	1144	2	1
NN4903018	Montezuma Creek	123	472	1	1
NN4903071	Todaahaidekani	88	338	1	1
NN4903072	Mexican Water	90	346	1	1
NN4903074	Casa Del Eco Mesa	55	211	1	1
NN3500245	Farmington/Shiprock - Beclabito	174	668	1	1

PWSID No.	Dilkon District	Service Connections	Estimated Population	Bacteriological Required	Fluoride Required
NN0400342	Lower Greasewood	1399	5372	6	3
NN0403001	Ganado - Ganado South/Wide Ruins/Cornfields/Steamboat/Beshbito	321	1233	2	1
NN0403026	Klagetoh	289	1110	2	1
NN0403033	Leupp	613	2354	2	1
NN0403100	Jeddito	328	1260	2	1

PWSID No.	Head Quarters	Service Connections	Estimated Population	Bacteriological Required	Fluoride Required
NN0400822	Twin Arrows	1	25	1	1

Blue Highlight Indicates USEPA Region IX Jurisdiction.
Revised by SB of NTUA EC&L on 12/07/2022