

**Navajo Tribal Utility Authority
2025 PWSID Table
Monthly Routine Bacteriological Sampling & Fluoride Sampling**

PWSID No.	Fort Defiance District	Service Connections	Estimated Population	Bacteriological Required	Fluoride Required
09-3500302	Rock Springs	454	1553	2	1
NN0400280	Houck	296	1012	2	1
NN0400813	Pine Springs	65	222	1	1
NN0403000	Navajo/Fort Defiance/Window Rock/Hunter's Point	3763	12869	10	3
NN0403015	Oak Springs	111	380	1	1
NN0403025	Sawmill	249	852	1	1
NN0403102	Newlands	555	1898	2	1
NN3500237	Tohatchi/Mexican Springs East	491	1679	2	1
NN3500261	Twin Lakes	541	1850	2	1
NN3500264	Buffalo Springs	117	400	1	1
NN3500267	Mexican Springs West	77	263	1	1
NN3500268	Naschitti	343	1173	2	1
NN3500274	Coyote Canyon	187	640	1	1
NN3500277	Defiance	488	1669	2	1
NN3500278	Tsayatoh	258	882	1	1
NN3503012	Crystal	204	698	1	1

PWSID No.	Shiprock District	Service Connections	Estimated Population	Bacteriological Required	Fluoride Required
NN0403027	Cove	211	722	1	1
NN0403058	Red Valley	210	718	1	1
NN3500245	Farmington/Shiprock	4407	15072	14	3
NN3500296	Nageezi	220	752	1	1
NN3503016	Newcomb	173	592	1	1
NN3503028	Toadlena	250	855	1	1
NN3503031	Narbona Pass/Sheep Springs	243	831	1	1
NN3503045	Dzilthnaodilthle	132	451	1	1
NN3503054	Keyah I	39	133	1	1
NN3503057	Mittenrock	102	349	1	1
NN3503059	Sanostee/Tocito	559	1912	2	1
NN3503063	Carson	329	1125	2	1

PWSID No.	Chinle District	Service Connections	Estimated Population	Bacteriological Required	Fluoride Required
NN0400174	Chinle	2459	8410	9	3
NN0400253	Kitsillie	121	414	1	1
NN0400321	Kinlichee	235	804	1	1
NN0400396	Rough Rock	133	455	1	1
NN0400397	Nazlini	252	862	1	1
NN0400812	Wheatfields	94	321	1	1
NN0403001	Ganado - Ganado/Wood Springs/Burnside/Steamboat	843	2883	3	3
NN0403004	Pinon	1519	5195	6	3
NN0403005	Tsaile	348	1190	2	1
NN0403021	Cottonwood	393	1344	2	1
NN0403023	Round Rock	256	876	1	1
NN0403047	Lukachukai	485	1659	2	1
NN0403048	Rock Point	301	1029	2	1

PWSID No.	Tuba City District	Service Connections	Estimated Population	Bacteriological Required	Fluoride Required
NN0400206	Tuba City	1839	6289	7	3
NN0400207	Coalmine Mesa	115	393	1	1
NN0400208	Rare Metals	22	75	1	1
NN0400209	White Mesa	139	475	1	1
NN0403009	Gap	328	1122	2	1
NN0403010	Cameron	219	749	1	1
NN0400348	Kaibeto	417	1426	2	1
NN0400379	Red Lake	342	1170	2	1
NN0400814	Coppermine	102	349	1	1
NN0403006	LeChee	324	1108	2	1
NN0403811	Hard Rock	285	975	1	1

PWSID No.	Crownpoint Sub-Office	Service Connections	Estimated Population	Bacteriological Required	Fluoride Required
09-3503042	Torreon	545	1864	2	1
NN3500211	Mariano Lake/Pinedale/Church Rock	1307	4470	5	3
NN3500239	Whitehorse Lake	79	270	1	1
NN3500254	Haystack	108	369	1	1
NN3500256	Smith Lake/Casamero Lake	263	899	1	1
NN3500258	Iyanbito	238	814	1	1
NN3500269	White Rock/Lake Valley	140	479	1	1
NN3500292	Bread Springs	601	2055	2	1
NN3500303	Thoreau	471	1611	2	1
NN3500335	Red Rock	481	1645	2	1
NN3503029	Standing Rock	219	749	1	1
NN3503039	Crownpoint/Littlewater	1110	3796	4	3
NN3503041	Ojo Encino North	330	1129	2	1
NN3503060	Casamero Cup	13	44	1	1
NN3510002	Boardman Loop	15	51	1	1

PWSID No.	Kayenta District	Service Connections	Estimated Population	Bacteriological Required	Fluoride Required
NN0400182	Forest Lake	66	226	1	1
NN0400283	Inscription House	407	1392	2	1
NN0400286	White Post Mission	54	185	1	1
NN0400290	Chilchinbeto	361	1235	2	1
NN0400296	Dennehotso	304	1040	2	1
NN0400322	Shonto	116	397	1	1
NN0400326	Shonto Junction	335	1146	2	1
NN0400824	Baby Rocks	13	44	1	1
NN0400825	Long House Valley	81	277	1	1
NN0403003	Kayenta	1165	3984	4	3
NN4900224	Oljato	370	1265	2	1
NN4903032	Mexican Hat	69	236	1	1
NN4903073	Cane Valley	16	55	1	1

PWSID No.	Red Mesa District	Service Connections	Estimated Population	Bacteriological Required	Fluoride Required
NN0400399	Sweetwater	589	2014	2	1
NN0403055	Teec Nos Pos	219	749	1	1
NN4900220	Aneth	425	1454	2	1
NN4903017	Red Mesa	293	1002	2	1
NN4903018	Montezuma Creek	124	424	1	1
NN4903071	Todaahaidekani	83	284	1	1
NN4903072	Mexican Water	84	287	1	1
NN4903074	Casa Del Eco Mesa	56	192	1	1
NN3500245	Farmington/Shiprock - Beclabito	168	575	1	1

PWSID No.	Dilkon District	Service Connections	Estimated Population	Bacteriological Required	Fluoride Required
NN0400342	Lower Greasewood	1486	5082	6	3
NN0403001	Ganado - Ganado South/Wide Ruins/Comfields/Steamboat/Beshbito	311	1064	2	1
NN0403026	Klagetoh	284	971	1	1
NN0403033	Leupp	652	2230	2	1
NN0403100	Jeddito	319	1091	2	1

PWSID No.	Head Quarters	Service Connections	Estimated Population	Bacteriological Required	Fluoride Required
NN0400822	Twin Arrows	1	25	1	1

Blue Highlight Indicates USEPA Region IX Jurisdiction.

Revised by NB of NTUA EC&L on 1/15/2025